

# mifoldOne™

## the non-folding Booster Seat



**Model Number:** MF06-CA

**For Children:**

at least 4 years of age

18 to 45 kg (40 to 100 lbs.)

102 cm to 145 cm (40 to 57 inches)

- This child restraint conforms to CMVSS 213.2 for use in motor vehicles with lap/shoulder belts.
- This child restraint is **NOT** certified for use in aircraft.

## Table of Contents


Weight and Height Use Recommendations .....	1
mifold One Booster Seat - Parts .....	2
Warnings .....	3
Proper Use Checklist .....	5
Selecting a Vehicle Seating Location .....	6
Vehicle Seat Belt Systems .....	8
Inflatable Seat Belt Systems .....	9
Note About Switchable Retractors .....	10
Booster seat Installation .....	11
Securing Child on Booster Seat .....	13
Removing Child from Booster Seat .....	17
Removing and Storage of Booster Seat .....	17
Re-Use After a Crash .....	18
Additional Information .....	19

## Weight and Height Use Recommendations

- Child **MUST** be at least 4 years old.
- Child's weight **MUST** be between 18 and 45 kg (40 and 100 lbs.).
- Child's height **MUST** be between 102 and 145 cm (40 and 57 inches).
- Discontinue use when:
  - Top of child's ears are above top of vehicle seat back or headrest.
  - Child's weight exceeds 45 kg (100 lbs.).



## mifold One Booster Seat Parts



# **WARNING** - DEATH or SERIOUS INJURY can occur

**Failure to follow these instructions and car seat labels can result in child striking the vehicle's interior during a sudden stop or crash.**

- Proper use is required:
  - Read and follow all instructions and information in this manual, product labels, and in the vehicle owner's manual for Booster Seat and vehicle seat belt use.
  - Improper use of the Booster Seat or vehicle seat belt can result in serious injury or death from a sudden stop or crash.
- Use **ONLY** with children who weigh between 18 and 45 kg. (40 and 100 lbs.) and whose height is between 102 and 145 cm (40 and 57 inches) and are at least 4 years old.
- Use only the vehicle's lap and shoulder belt system when restraining a child in this Booster Seat. Lap belt portion **MUST** be through both belt guides.
- Snugly adjust vehicle lap and shoulder belt around child according to vehicle owner's manual.
- Always properly position vehicle belts on child and snugly adjust vehicle belts around child.
  - Vehicle lap belt **MUST** be positioned low on hips, contacting thighs and not up on the abdomen.
  - Vehicle shoulder belt **MUST** be centered on child's shoulder (not touching neck and not off shoulder).
  - **NEVER** use shoulder belt loose, positioned under child's arm, or behind child's back.

## **WARNING** - DEATH or **SERIOUS INJURY** can occur

- NEVER use Booster Seat with only a vehicle lap belt across front of child. Use of lap belt only can result in serious injury or death.
- NEVER use Booster Seat in a vehicle front seat location unless recommended in vehicle owner's manual.
- Discontinue use of Booster Seat when top of child's ears are above top of vehicle seat back or headrest. Severe head and neck injuries can result without proper head support.
- NEVER use this Booster Seat with vehicle's UAS car seat attachment system.
- Secure Booster Seat even when not occupied. Unsecured items may injure other occupants in a crash.
- DO NOT use Booster Seat if it has been in a crash or is damaged, missing parts or the instruction manual is missing.
- Register child restraint with the manufacturer. See Registration section.
- NEVER leave child unattended.
- This Booster Seat is certified for use in motor vehicles. DO NOT use this Booster Seat in the home, on boats, on aircraft or other non-certified applications.
- Only use Booster Seat on forward-facing vehicle seats with child facing front of vehicle.
- Do not use this child restraint 7 years after the original date of purchase (proof of purchase required) or manufacturing date otherwise. Please keep a copy of your invoice with your instruction manual in the manual storage location.

## Proper Use Checklist

- ✓ Booster Seat and child's back **MUST** make contact with vehicle seat back.
- ✓ Vehicle Lap and Shoulder Belt **MUST** be properly positioned on child.
  - Lap Belt low on hips, contacting thighs and not up on the abdomen.
  - Shoulder Belt centered on child's shoulder.
  - Lap and Shoulder Belt snugly adjusted around child.
- ✓ If the vehicle owner's manual allows a car seat to be placed in the seating position with a frontal airbag, adjust seat back, away from airbag, as far as possible according to the vehicle owner's manual.



- ✓ Child **MUST** be sitting up, with back against vehicle seat back not slouching down under Vehicle Lap Belt.
- ✓ Top of child's ears are below top of vehicle seat back or vehicle headrest.



No car seat can guarantee protection from injury in every situation, but proper use helps reduce the risk of serious injury or death.

## Selecting a Vehicle Seating Location

### **WARNING**

**DEATH or SERIOUS INJURY can occur**

- DO NOT use Booster Seat in a seating position with a frontal air bag unless recommended by the vehicle manufacturer.
- DO NOT use Booster Seat with a Vehicle Lap Belt ONLY.



- Refer to vehicle owner's manual for information on securing children and vehicle seat belt use.
- NOT all vehicle seat belts can be used with the Booster Seat. Read vehicle owner's manual on Booster Seat use and "Vehicle Seat Belt Systems" section in this manual.

### Select a Seating Location To Use:


- Select a vehicle seating location that faces the front of the vehicle and has a Vehicle Lap and Shoulder Belt system.

## Selecting a Vehicle Seating Location

### Vehicle Seating Locations NOT To Use:

#### 1. Universal Anchorage System (UAS):


- Do not use the vehicle universal anchorage system (UAS) with this Booster Car Seat.



Universal Anchorage System (UAS)

#### 2. Side Facing and Rear Facing Seats:

- DO NOT use on side or rear-facing vehicle seats.



Side Facing Vehicle Seats

Rear Facing Vehicle Seat



## Select A Vehicle Seating Location

According to accident statistics, children age 12 and under are safer when properly restrained in the rear seating positions rather than the front seating positions. For vehicles with air bags, refer to vehicle owner's manual for child restraint installation information.

# WARNING

**DEATH or SERIOUS INJURY can occur**

- **NEVER** place this booster seat in a vehicle seat location that has an airbag. If an airbag inflates, it can hit the child and booster seat with great force and cause serious injury or death to your child. Refer to your vehicle owner's manual for information about airbags and car seat installation.


## Vehicle Seat Belt Systems

- This Booster Seat **MUST** be used with a Vehicle Lap and Shoulder Belt system. **DO NOT** use the Vehicle Belt systems in this section.

### 1. Lap Belts ONLY Systems:

Vehicle Seating Locations With ONLY A Lap Belt:

- Do NOT use seating locations with a Lap Belt ONLY.




Lap Belt Only

## Vehicle Seat Belt Systems

### 2. Passive Restraint Systems:

#### A. Motorized Shoulder Belts:


- Do not use seating locations with motorized shoulder belts.



Motorized  
Shoulder Belt

#### B. Door Mounted Lap And Shoulder:

- Do not use front seating locations where seat belts are mounted to the door.



Belts Mounted  
To Door

#### C. Inflatable Seat Belt Systems:

- Do not use the mifold One Booster Seat on a vehicle seating location with an inflatable seat belt.

## Note About Switchable Retractors

### A note about switchable retractors:

Many vehicles have a lap and shoulder belt system in which the retractor can be switched from the emergency locking mode (ELR) to an automatic locking mode (ALR). **The ALR mode is not designed for use with booster car seats** and mifold One is not recommended for use with a lap and shoulder belt in the ALR mode.

**Note:** Should the lap and shoulder belt inadvertently be switched into the automatic locking retractor mode (ALR) and the vehicle seat belt is locked, follow the steps below to remove the lap belt.

1. Pull out and hold the shoulder belt to prevent further retraction. Be aware not to allow shoulder belt webbing to retract during this entire procedure.
2. Have your child lean away from the vehicle buckle.
3. Lift mifold One up on the buckle side and remove lap belt.

If the lap and shoulder belt is inadvertently switched into the locking mode, see steps on [page 17](#) to remove child.

## Booster Seat Installation


### **WARNING**

**DEATH or SERIOUS INJURY can occur**

- Use only with the Vehicle's Lap and Shoulder Belt.
- DO NOT use with a Lap Belt only or Universal Anchorage system (UAS).
- Position and snugly adjust Lap Belt, then position and adjust Shoulder Belt.
  - Lap Belt **MUST** be low on hips, contacting thighs and not up on the abdomen.
  - Shoulder Belt must be centered over shoulder (NOT up on neck or off shoulder).
  - DO NOT use Shoulder Belt loose, positioned under child's arms, or behind child.

1. Adjust the width of the Lap Belt Guides.

The Lap Belt Guides have four adjustment positions, one for storage and transport and three to adjust to child as they grow. Position numbers I, II and III on the Lap Belt Guide arms can be used to quickly position the Lap Belt Guides for repeat use.



**NOTE:**

The narrowest locked adjustment position is for storage and transportation only.


## Booster Seat Installation

- The Lap Belt Guides should be adjusted into the position nearest to, but not touching the sides of the child's thighs.

### To adjust width of Lap Belt Guides:


- a. Pull out and hold Lap Belt Guide Adjustment Button ① and slide Lap Belt Guide out to the maximum position ②. Release Lap Belt Guide Adjustment Button.

Repeat on opposite side.



- b. Adjust to fit child.

1. Place Booster Seat with Lap Belt Guides extended on vehicle seat.
2. With child sitting on the Booster Seat, pull out and hold Lap Belt Guide Adjustment Button ① and slide Lap Belt Guide into the position nearest to, but not touching child's thigh ③.
3. Pull out on Lap Belt Guide to check it is locked into position ④.
4. Repeat on opposite side.



## Securing Child on Booster Seat

### **WARNING**

**DEATH or SERIOUS INJURY can occur**

- DO NOT use Booster Seat in a seating position that has a Vehicle Lap Belt ONLY.
- Vehicle Lap and Shoulder Belt **MUST** be snugly adjusted around child.
- Vehicle Lap Belt **MUST** be positioned low on hips, contacting thighs and not up on the abdomen.
- Vehicle Shoulder Belt **MUST** be over child's chest and centered on shoulder. **DO NOT** allow child to place Shoulder Belt under arm or behind back.
- **NEVER** use Booster Seat with only a Lap Belt across front of child. Use of Lap Belt **ONLY** can result in serious injury or death.

1. Place Booster Seat on vehicle seat in a seating location that has a Vehicle Lap and Shoulder Belt.



2. Adjust Lap Belt Guides into position for child. See "Booster Seat Installation" section.



3. Slide Booster Seat back on vehicle seat cushion so that the back of the Booster Seat makes contact with vehicle seat back cushion.

## Securing Child on Booster Seat

For contoured vehicle seats, position back of Booster Seat on contour and in contact with vehicle seat back.



4. Seat child on the Booster Seat with child's bottom and back in contact with the vehicle seat back cushion.



5. Secure child with the Vehicle Lap and Shoulder Belt.

- a. Slide Lap Belt portion of vehicle belt completely into the Lap Belt Guides ① and ② and buckle the vehicle seat belt.



### NOTES:

- Vehicle Lap Belt MUST be through Lap Belt Guides on both sides of seat.
- DO NOT place shoulder belt through EITHER Lap Belt Guide.
- DO NOT switch lap and shoulder belt into automatic locking retractor (ALR) mode when installing any booster car seat including mifold One.



## Securing Child on Booster Seat

- b. Pull up on Vehicle Shoulder Belt to remove slack from lap portion of Vehicle Seat Belt and snugly adjust Lap Belt around child. Check that Vehicle Lap Belt is low on hips and contacting thighs.

- c. Place Shoulder Belt Guide Strap behind child's back and adjust the position of the Shoulder Belt Guide so Shoulder Belt Slot is at least 25 mm (1 inch) above top of child's shoulder.



To adjust position of the Shoulder Belt Guide:


- Pull out on Shoulder Belt Guide Adjustment Clip ① to release Shoulder Belt Guide Strap, slide Shoulder Belt Guide into position ② and then press down on the Shoulder Belt Guide Adjustment Clip to lock in place ③.





## Securing Child on Booster Seat

- d. Slide the Shoulder Belt Guide Adjustment Clip onto the Vehicle Shoulder Belt as shown ④. The belt must be completely within the Shoulder Belt Guide slot.



- e. Pull on Vehicle Shoulder Belt to snugly adjust Vehicle Lap and Shoulder Belt around child according to the vehicle owner's manual. Snugly adjust Lap Belt and then Shoulder Belt.
- f. Check that Vehicle Lap Belt is low on hips and contacting thighs and Vehicle Shoulder Belt is centered on child's shoulder.

### **WARNING**

**DEATH or SERIOUS INJURY can occur**

- Avoid potential abdominal injury from submarining under Vehicle Lap Belt. Child **MUST** sit with rump and back in contact with the vehicle seat back cushion and vehicle seat belt snugly adjusted.
- To avoid injuries from whiplash, top of child's ears **MUST** be below top of vehicle seat back or headrest.
- Discontinue use of Booster Seat when top of child's ears are above top of vehicle seat back or headrest.

## Removing Child from Booster Seat

### To Remove Child:

- Unbuckle Vehicle Lap and Shoulder Belt.
- Slide lap portion of Vehicle Lap and Shoulder Belt out of Lap Belt Guide on buckle side.
- Move Vehicle Lap and Shoulder Belt off of child.
- Remove child from Booster Seat.

**Note:** Should the lap and shoulder belt inadvertently be switched into the automatic locking retractor mode (ALR) and the vehicle seat belt is locked, follow the steps below to remove the lap belt.

1. Pull out and hold the shoulder belt to prevent further retraction. Be aware not to allow shoulder belt webbing to retract during this entire procedure.
2. Have your child lean away from the vehicle buckle.
3. Lift mifold One up on the buckle side and remove lap belt.

If removal of the lap belt is not possible due to the vehicle belt continuing to tighten, the vehicle seat belt should be cut to remove the child.

## Removing and Storage of Booster Seat

### Transportation and storage of Booster Seat:

The mifold One Booster Seat is a very compact size for easy storage when not in use.

### To remove Booster Seat:

- Slide open Shoulder Belt Guide and remove Vehicle Shoulder Belt.
- Slide lap portion of Vehicle Lap and Shoulder Belt out of both Lap Belt Guides.
- Push both Lap Belt Guides into their storage position.
- Remove the mifold One Booster Seat.
- Store the mifold One Booster Seat in a secure location such as the glove box, trunk, or storage area.

## Storage of Booster Seat

### For transporting Booster Seat when not occupied:

When not occupied, it is recommended to store the mifold One in a secure location such as the glove box, trunk, or storage area. However, if it is left on the vehicle seat it **MUST** be secured with a vehicle belt as described below.

- Route lap portion of Vehicle Lap and Shoulder Belt through both Lap Belt Guides.
- Buckle Vehicle Lap and Shoulder Belt and snugly adjust the lap portion of the vehicle belt around Booster Seat.

## **WARNING**

### **DEATH or SERIOUS INJURY can occur**

- Secure this Booster Seat even when not occupied. An unsecured Booster Seat can injure other occupants in a crash.

## Re-Use After a Crash

## **WARNING**

### **DEATH or SERIOUS INJURY can occur**

- DO NOT allow any use of this child restraint after a crash where a child was secured in the Booster Seat.
- Do not sell or allow others to use a child restraint that was occupied in a crash.
- This child restraint must be destroyed and replaced if it was occupied during a crash.

## Re-Use After a Crash

The mifold One Booster Seat is a unique design that absorbs some of the forces in a vehicle crash when occupied by a child. These crash forces can deform parts of the Booster Seat and result in damage that may not be detectable by a visual inspection. As a result, the Booster Seat **MUST** be replaced after any crash in which the Booster Seat was occupied.

For a crash in which the Booster Seat was stored and remained in place or was secured with the lap portion of the vehicle seat belt passing through both lap belt guides, and was unoccupied at the time of crash, the mifold One Booster Seat may continue to be used.

## Additional Information

### Certification:

- **Motor Vehicle Use** - this child restraint meets or exceeds all applicable requirements of Canadian Motor Vehicle Safety Standard 213.2 for use in motor vehicles.

This Booster Seat is for use in passenger cars, multi-purpose vehicles (vans and SUVs), trucks, and school buses that have Vehicle Lap and Shoulder Belt systems.

- **Aircraft Use** -  
**This Restraint is Not Certified for Use in Aircraft.** Aircraft seats do not provide a lap and shoulder belt system.



## Additional Information

### **Care and Cleaning:**

- Surface wash with a mild solution of soap and water. No Bleach. Remove soap by wiping with clean water after washing. Air Dry.

### **Instruction Manual Storage:**

- Store instruction manual in storage compartment located on the right edge of the mifold One Booster Seat.

### **Replacement Parts:**

- Product does not have any replaceable parts.
- For any issues or further information, contact Elfe Juvenile Products Customer Service at 1-800-667-8184 or by email at [service@mifold.ca](mailto:service@mifold.ca)

### **Warranty:**

- At Carfoldio, we make innovative, high quality products for children. We warrant this product to be free from defects in material and workmanship existing at the time of manufacture for a period of one year from the date of initial purchase (sales receipt is required for proof of purchase). If such a defect is discovered during the limited warranty period, we will, at our sole option, repair or replace your product at no cost to you.

This limited warranty does not cover claims resulting from misuse, failure to follow the instructions on installation, maintenance and use, abuse, alteration, involvement in an accident, and normal wear and tear.

## Additional Information

### Warranty (continued):

This limited warranty is exclusive and in lieu of any other warranty, written or oral, including but not limited to any express warranty of merchantability or fitness for a particular purpose. The duration of any implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, is expressly limited to this limited warranty period.

### Warranty (continued):

The customer's exclusive remedy for breach of this limited warranty or of any implied warranty or of any other obligation arising by operation of law or otherwise shall be limited as herein to repair or replacement, at our sole option. In any event, responsibility for special, incidental and consequential damages is expressly excluded.

## Additional Information

### Warranty (continued):

This limited warranty gives you specific legal rights and you may have other rights that vary from province to province.

For warranty service:

Please call 1-800-667-8184,  
email [service@mifold.ca](mailto:service@mifold.ca) or  
write to: Elfe Juvenile Products  
2520 Ave Marie-Curie  
St-Laurent, QC, H4S 1N1

### Registration and Recall:

- Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Fill out the registration card attached to Booster Seat and mail today or send your name, address, e-mail address if available, and the restraint's model number and manufacturing date to:

**Elfe Juvenile Products**  
**2520 Ave Marie-Curie**  
**St-Laurent, QC, H4S 1N1**  
**or call 1-800-667-8184**  
**or log onto [www.mifold.ca](http://www.mifold.ca)**

Model Number is on Shoulder Belt Guide Strap label.  
Manufacturing Date is on Shoulder Belt Guide label.

## Additional Information

### For Recall Information:


- Call Transport Canada at 1-800-333-0371
- Go to [www.tc.gc.ca](http://www.tc.gc.ca)
- Call Elfe Juvenile Products at 1-800-667-8184
- Log onto [www.mifold.ca](http://www.mifold.ca)
- Email: [service@mifold.ca](mailto:service@mifold.ca)





## KEEP INSTRUCTIONS FOR FUTURE USE.

Store instruction manual in storage compartment on the right side of Booster Seat.



Carfoldio™, mifold® and mifold One™, the non-folding Grab-and-Go Booster™, are trademarks of Carfoldio Ltd.

This innovative product is protected by U.S. Pat. No. 9.376.088 / EE.UU Pat. No. 9.376.088 and other patents pending.

Manufactured and distributed in the USA by:  
Carfoldio Ltd.  
10685-B Hazelhurst Dr., #17695  
Houston, TX 77043  
[www.mifold.com](http://www.mifold.com)

Distributed in Canada by:  
Elfe Juvenile Products  
2520 Ave Marie-Curie  
Saint-Laurent (QC) H4S 1N1  
[www.mifold.ca](http://www.mifold.ca)

Instruction Manual  
Storage Compartment  
All pictures are illustrations.  
Actual product may vary.

Made in China  
© 2019 Carfoldio Ltd.

1209 Rev C - CA